

PROLINK

We provide our customers with exceptional **PRODUCTS** in accordance with the highest international standards and also provide **SERVICES** that meets our customers' needs or exceed their expectations

Copper System

CAT6 U/UTP

Copper cables

CAT6 U/UTP



Conductor: Solid copper wire AWG23 (Ø 0.58mm).
Insulation: Polyethylene ≤ Ø 1.1 mm.
Cable lay up: 4 pairs to the core, non-metallic cross separator (spline).
Cable core lying: Waterproof compound to prevent moisture migration and water protection.
Sheath: White, PVC.

CAT. 6 PVC

ProLink CAT6 U/UTP Cable, 23AWG, white jacket, 4 pair count, 305 m length Reel in a box

Conductor: Solid copper wire AWG23 (Ø 0.58mm).
Insulation: Polyethylene ≤ Ø 1.1 mm.
Cable lay up: 4 pairs to the core, non-metallic cross separator (spline).
Cable core lying: Waterproof compound to prevent moisture migration and water protection.
Sheath: White, LSZH.



CAT. 6 LSZH

ProLink CAT6 U/UTP CABLE, 4 PAIR 23 AWG, LSZH, White, 305 m length Reel in a box

Patch Cord

CAT6 U/UTP

PROLINK



PROLINK CAT6 UNSHIELDED PATCH CORD W/ T568B WIRING LSZH.

CAT.6 Patch Cords

PROLINK Cat.6 patch cords are used for connecting the network equipment to patch panels and telecommunications outlets. They are suitable for frequencies of up to 250 MHz

Features of CAT.6

- Full the requirements of Category 6, Class E (250MHz) according to the present standard of the ISO/IEC 11801.
- Each individual patch cord is tested and marked with a quality stamp.
- Can also use as Cat5e (backward compatible).
- Strain relief are provided with wide function.
- Labeling possible on the strain relief or on the color-coding.
- 0.25M,0.5M, 1M, 3M , 5M or 10M length.
- The impedance of 100 ohms.
- LSZH version.
- Die rent Colors (Blue – White – Gray – Yellow – Black – Orange).

<http://prolink.us.com>

KEYSTONE JACK & RJ plug

CAT6 U/UTP



Cat6 UTP

ProLink
CAT6 UTP 1G keystone **Jack Rotating**,
Tool-less Connection Module



Cat6 UTP

ProLink
CAT6 UTP 1G keystone **Jack Rotating**, Tool-less Connection
Module **With Clip Adapter** 45*22.5



Cat6 UTP

ProLink
CAT6 UTP 1G keystone jack **Mini Type**,
Tool-less Connection Module



Cat6 UTP

ProLink
CAT6 UTP 1G keystone jack, Tool-less
Connection Module, **With Shutter**



Cat6 FTP

ProLink
CAT6 FTP Connector, 1G RJ45,
Tool-less Connection Module

Accessories

Patch Panel & Cable Management

PROLINK



Prolink Patch Panel 1U, 24 Port FTP, With Wire Management



ProLink Cable Management ,1U,Plastic



ProLink Cable Management,1U, Metal

<http://prolink.us.com>

Accessories

Faceplate uk



BRITISH FACEPLATE

ProLink 1 Port UK type Faceplate
W/Shutter & Station 1 ID 86*86



BRITISH FACEPLATE

ProLink 2 Port UK type Faceplate
W/Shutter & Station 1 ID 86*86



Back Box

Accessories

Faceplate UK



BRITISH FACEPLATE Frame

UK type Faceplate White 86*86



Clip Adapter

Clip Adapter 1,2 Port White 45*45



Clip Adapter




Clip Adapter

Clip Adaptor 45*22.5 Blank Port

Accessories

Faceplate US



US FACEPLATE Frame

ProLink US type Faceplate White 2 Port



US FACEPLATE Frame

ProLink US type Faceplate White 3 Port



Clip Adapter

ProLink Clip Adapter 1,2 Port White 45*45



Clip Adapter